

## Boiler Wood-Biomass



Steel mixed combustion boiler with vertical toumposolines the second exhaust path.  
Here's the latest international and Greek standards and can work with any heating system with open or closed expansion tank.

The boiler is accompanied by:

Cast iron grill sygratisis wood

Thermostat Air.

Water Boiler Thermostat

Safety overpressure 3 bar

Syrmatovoustra, scrape cleaning, and operating instructions.

Selectable output stack upwards, backwards or sideways (left or right).

Boilers Technical data:

25.000kcal / h

Width 70cm

130cm Length

Height 126 cm

Weight 342kgr

36,000Kcal / h

Width 70cm

130cm Length  
Height 137 cm  
Weight 377Kgr

47.000Kcal / h  
Width 70cm  
130cm Length  
Height 147cm  
Weight 402 Kgr

58,000Kcal / h  
Width 70cm  
Length 130cm  
Ypsos159cm  
Weight 437 kgr

wood boiler bearing 5 years warranty

## Biomass Burner



## Biomass Burner Italian Construction

### MULTIFLAM Series

#### Specifications:

##### Metal Body

Designated burning stainless steel

Alternative heat pump water; 16 stainless plakon- Mechanical Three-way valve - Expansion tank 8 liters with a flow meter and pressure transducer

Multiple choice Command Display (Greek menu with picture)

Wireless Controller

Air Flow Sensor

Capacity Water Tank 100 lt

Thermal Power: 40.000 kcal / h

Auto Power Pellet

Nominal Heat Power: 46 KW

Management Combustion Systems (DMT)

Thermal Performance: Certified Measurement 87%

Diameter of flue: F 160

Dimensions: Length x Width x Height 1200x1050x1270mm

## Oil Boiler



## Cast iron Boiler Wood

